

	Hits	Search Text	DBs
1	3	S1 and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	S4 and range\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	S2 and dates	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	4	(("6105026") or ("5860070") or ("20020165727") or ("5721907")) .PN.	US-PGPUB; USPAT
5	0	"method and system fo rconstraint checking bulk data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	"method and system for rconstraint checking bulk data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	7013	S9 and (@ad < "20011016")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	9262	(multi\$1column\$1 or compóund\$1 or composite\$1) with (key\$1 or row\$lid\$1 or record\$lid\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	15	((("5121494") or ("5721907") or ("5765146") or ("5787411") or ("5835755") or ("5860070") or ("6105026") or ("6115705") or ("6223182") or ("6349310") or ("6370529") or ("6401098") or ("6421662") or ("6493699") or ("20020165727"))).PN.	US-PGPUB; USPAT
10	68	S10 and ((last or third) with unique)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	9	S12 and dates	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	S13 and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	8	S12 and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	9262	(multi\$1column\$1 or compound\$1 or composite\$1) with (key\$1 or row\$lid\$1 or record\$lid\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	7013	L1 and (@ad < "20011016")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	68	L2 and ((last or third) with unique)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	8	L3 and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	4	L4 and date\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB